ELSEVIER

Brain Research 771 (1997) 356–358

BRAIN RESEARCH

Author Index

Abbamondi, A.L., see Macchi, G. (771) 154
Abe, M., see Oka, T. (771) 278
Akaike, A., see Maeda, T. (771) 159
Allain, H., see Caldwell, M.A. (771) 305
Anderson, C.W. and Nishikawa, K.C.
The functional anatomy and evolution of hypoglossal afferents in the leopard frog, *Rana pipiens* (771) 285
Asin, K.E., see Wirtshafter, D. (771) 271
Atsuta, Y., see Katsuki, M. (771) 31

Baldessarini, R.J., see Campbell, A. (771) 55
Balikian, R., see Campbell, A. (771) 55
Bamburg, J.R., see Yuan, A. (771) 203
Bayardo, A., see Martone, M.E. (771) 238
Begley, J.G., see Mattson, M.P. (771) 147
Bentué-Ferrer, D., see Caldwell, M.A. (771) 305
Bhargava, H.N. and Cao, Y.-J.
Effects of noribogaine on the development of tolerance to antinociceptive action of morphine in mice (771) 343
Bilkey, D.K., see Buchanan, J.-A.M. (771) 63
Bilkey, D.K., see Buchanan, J.-A.M. (771) 71
Bley, K.R., see Omana-Zapata, I. (771) 228
Boss, K.L., see Gattu, M. (771) 89
Bourjeily, N. and Suszkiw, J.B.
Developmental cholinotoxicity of lead: loss of septal cholinergic neurons and long-term changes in cholinergic innervation of the hippocampus in perinatally lead-exposed rats (771) 319
Bray, J.J., see Yuan, A. (771) 203
Brockett, C., Warren, N., Gregory, J.E., Morgan, D.L. and Proske, U.
A comparison of the effects of concentric versus eccentric exercise on force and position sense at the human elbow joint (771) 251
Buccafusco, J.J., see Gattu, M. (771) 104
Buccafusco, J.J., see Gattu, M. (771) 173
Buccafusco, J.J., see Gattu, M. (771) 89
Buchanan, J.-A.M. and Bilkey, D.K.
Transfer between atropine-induced spiking in the perirhinal cortex and electrical kindling of the amygdala (771) 63
Buchanan, J.-A.M. and Bilkey, D.K.
Transfer of epileptogenesis between perirhinal cortex and amygdala induced by electrical kindling (771) 71
Bugiani, O., see Macchi, G. (771) 154
Burgess, M.F. and Derby, C.D.
Two novel types of L-glutamate receptors with affinities for NMDA and L-cysteine in the olfactory organ of the Caribbean spiny lobster *Panulirus argus* (771) 292

Caldwell, M.A., Reymann, J.-M., Allain, H., Leonard, B.E. and Bentué-Ferrer, D.
Lisuride prevents learning and memory impairment and attenuates the increase in extracellular dopamine induced by transient global cerebral ischemia in rats (771) 305
Campbell, A., Villavicencio, A.T., Yeghiayan, S.K., Balikian, R. and Baldessarini, R.J.
Mapping of locomotor behavioral arousal induced by microinjections of dopamine within nucleus accumbens septi of rat forebrain (771) 55
Cao, Y.-J., see Bhargava, H.N. (771) 343
Chandler, M.J., see Zhang, J. (771) 25
Cheng, N.-n., see Maeda, T. (771) 159
Cheyne, D., Endo, H., Takeda, T. and Weinberg, H.
Sensory feedback contributes to early movement-evoked fields during voluntary finger movements in humans (771) 196

Delaney, K.R., see Qian, S.-M. (771) 259
De Maeyer, E., see Ikemoto, K. (771) 121
De Maeyer, E., see Ikemoto, K. (771) 163
Derby, C.D., see Burgess, M.F. (771) 292
Duman, C.H.
Short-latency interneurons in the dorsal nucleus of the little skate, *Raja erinacea* (771) 80

Ellisman, M.H., see Martone, M.E. (771) 238
Endo, H., see Cheyne, D. (771) 196

Fasciano, J., Hatzidimitriou, G., Yuan, J., Katz, J.L. and Ricaurte, G.A.
N-Methylation dissociates methamphetamine's neurotoxic and behavioral pharmacologic effects (771) 115
Flynn, K.M., Schreibman, M.P. and Magliulo-Cepriano, L.
Developmental changes in NMDA receptor expression in the platyfish brain (771) 142
Foreman, R.D., see Zhang, J. (771) 25
Fornaciari, E., see Stanness, K.A. (771) 329
Freyaldenhoven, T.E., see Kuperman, D.I. (771) 221
Furukawa, K., see Mattson, M.P. (771) 147

Gattu, M., Pauly, J.R., Boss, K.L., Summers, J.B. and Buccafusco, J.J.
Cognitive impairment in spontaneously hypertensive rats: role of central nicotinic receptors. I (771) 89
Gattu, M., Pauly, J.R., Urbanawiz, S. and Buccafusco, J.J.
Autoradiographic comparison of muscarinic M1 and M2 binding sites in the CNS of spontaneously hypertensive and normotensive rats (771) 173
Gattu, M., Terry Jr., A.V., Pauly, J.R. and Buccafusco, J.J.
Cognitive impairment in spontaneously hypertensive rats: role of central nicotinic receptors. Part II (771) 104
Giaccone, G., see Macchi, G. (771) 154
Goshima, Y., see Maeda, T. (771) 159
Gregory, J.E., see Brockett, C. (771) 251

Hatzidimitriou, G., see Fasciano, J. (771) 115
Herman, M.M., see Huang, Y. (771) 213
Hirata, A., Nakamura, R., Kwak, S., Nagata, N. and Kamakura, K.
AMPA receptor-mediated slow neuronal death in the rat spinal cord induced by long-term blockade of glutamate transporters with THA (771) 37
Hirayama, T., see Katsuki, M. (771) 31
Holash, J.A., see Martone, M.E. (771) 238
Hori, T., see Oka, T. (771) 278
Hosoi, M., see Oka, T. (771) 278
Huang, Y., Herman, M.M., Liu, J., Katsetos, C.D., Wills, M.R. and Savory, J.
Neurofibrillary lesions in experimental aluminum-induced encephalopathy and Alzheimer's disease share immunoreactivity for amyloid precursor protein, Aβ, α_1-antichymotrypsin and ubiquitin-protein conjugates (771) 213
Hunter, J.C., see Omana-Zapata, I. (771) 228

Ikemoto, K., Kitahama, K., Maeda, T., Tokunaga, Y., Valatx, J.-L., De Maeyer, E. and Seif, I.
Electron-microscopic study of MAOB-containing structures in the nucleus accumbens shell: using MAOA-deficient transgenic mice (771) 163
Ikemoto, K., Kitahama, K., Seif, I., Maeda, T., De Maeyer, E. and Valatx, J.-L.
Monoamine oxidase B (MAOB)-containing structures in MAOA-deficient transgenic mice (771) 121
Irwin, R.P., see Lin, S.-Z. (771) 184
Ishikawa, M., see Wu, Y.L. (771) 347

ELSEVIER

Brain Research 771 (1997) 356–358

BRAIN RESEARCH

Author Index

Abbamondi, A.L., see Macchi, G. (771) 154
Abe, M., see Oka, T. (771) 278
Akaike, A., see Maeda, T. (771) 159
Allain, H., see Caldwell, M.A. (771) 305
Anderson, C.W. and Nishikawa, K.C.
The functional anatomy and evolution of hypoglossal afferents in the leopard frog, *Rana pipiens* (771) 285
Asin, K.E., see Wirtshafter, D. (771) 271
Atsuta, Y., see Katsuki, M. (771) 31

Baldessarini, R.J., see Campbell, A. (771) 55
Balikian, R., see Campbell, A. (771) 55
Bamburg, J.R., see Yuan, A. (771) 203
Bayardo, A., see Martone, M.E. (771) 238
Begley, J.G., see Mattson, M.P. (771) 147
Bentué-Ferrer, D., see Caldwell, M.A. (771) 305
Bhargava, H.N. and Cao, Y.-J.
Effects of noribogaine on the development of tolerance to antinociceptive action of morphine in mice (771) 343
Bilkey, D.K., see Buchanan, J.-A.M. (771) 63
Bilkey, D.K., see Buchanan, J.-A.M. (771) 71
Bley, K.R., see Omana-Zapata, I. (771) 228
Boss, K.L., see Gattu, M. (771) 89
Bourjeily, N. and Suszkiw, J.B.
Developmental cholinotoxicity of lead: loss of septal cholinergic neurons and long-term changes in cholinergic innervation of the hippocampus in perinatally lead-exposed rats (771) 319
Bray, J.J., see Yuan, A. (771) 203
Brockett, C., Warren, N., Gregory, J.E., Morgan, D.L. and Proske, U.
A comparison of the effects of concentric versus eccentric exercise on force and position sense at the human elbow joint (771) 251
Buccafusco, J.J., see Gattu, M. (771) 104
Buccafusco, J.J., see Gattu, M. (771) 173
Buccafusco, J.J., see Gattu, M. (771) 89
Buchanan, J.-A.M. and Bilkey, D.K.
Transfer between atropine-induced spiking in the perirhinal cortex and electrical kindling of the amygdala (771) 63
Buchanan, J.-A.M. and Bilkey, D.K.
Transfer of epileptogenesis between perirhinal cortex and amygdala induced by electrical kindling (771) 71
Bugiani, O., see Macchi, G. (771) 154
Burgess, M.F. and Derby, C.D.
Two novel types of L-glutamate receptors with affinities for NMDA and L-cysteine in the olfactory organ of the Caribbean spiny lobster *Panulirus argus* (771) 292

Caldwell, M.A., Reymann, J.-M., Allain, H., Leonard, B.E. and Bentué-Ferrer, D.
Lisuride prevents learning and memory impairment and attenuates the increase in extracellular dopamine induced by transient global cerebral ischemia in rats (771) 305
Campbell, A., Villavicencio, A.T., Yeghiayan, S.K., Balikian, R. and Baldessarini, R.J.
Mapping of locomotor behavioral arousal induced by microinjections of dopamine within nucleus accumbens septi of rat forebrain (771) 55
Cao, Y.-J., see Bhargava, H.N. (771) 343
Chandler, M.J., see Zhang, J. (771) 25
Cheng, N.-n., see Maeda, T. (771) 159
Cheyne, D., Endo, H., Takeda, T. and Weinberg, H.
Sensory feedback contributes to early movement-evoked fields during voluntary finger movements in humans (771) 196

Delaney, K.R., see Qian, S.-M. (771) 259
De Maeyer, E., see Ikemoto, K. (771) 121
De Maeyer, E., see Ikemoto, K. (771) 163
Derby, C.D., see Burgess, M.F. (771) 292
Duman, C.H.
Short-latency interneurons in the dorsal nucleus of the little skate, *Raja erinacea* (771) 80

Ellisman, M.H., see Martone, M.E. (771) 238
Endo, H., see Cheyne, D. (771) 196

Fasciano, J., Hatzidimitriou, G., Yuan, J., Katz, J.L. and Ricaurte, G.A.
N-Methylation dissociates methamphetamine's neurotoxic and behavioral pharmacologic effects (771) 115
Flynn, K.M., Schreibman, M.P. and Magliulo-Cepriano, L.
Developmental changes in NMDA receptor expression in the platyfish brain (771) 142
Foreman, R.D., see Zhang, J. (771) 25
Fornaciari, E., see Stanness, K.A. (771) 329
Freyaldenhoven, T.E., see Kuperman, D.I. (771) 221
Furukawa, K., see Mattson, M.P. (771) 147

Gattu, M., Pauly, J.R., Boss, K.L., Summers, J.B. and Buccafusco, J.J.
Cognitive impairment in spontaneously hypertensive rats: role of central nicotinic receptors. I (771) 89
Gattu, M., Pauly, J.R., Urbanawiz, S. and Buccafusco, J.J.
Autoradiographic comparison of muscarinic M1 and M2 binding sites in the CNS of spontaneously hypertensive and normotensive rats (771) 173
Gattu, M., Terry Jr., A.V., Pauly, J.R. and Buccafusco, J.J.
Cognitive impairment in spontaneously hypertensive rats: role of central nicotinic receptors. Part II (771) 104
Giaccone, G., see Macchi, G. (771) 154
Goshima, Y., see Maeda, T. (771) 159
Gregory, J.E., see Brockett, C. (771) 251

Hatzidimitriou, G., see Fasciano, J. (771) 115
Herman, M.M., see Huang, Y. (771) 213
Hirata, A., Nakamura, R., Kwak, S., Nagata, N. and Kamakura, K.
AMPA receptor-mediated slow neuronal death in the rat spinal cord induced by long-term blockade of glutamate transporters with THA (771) 37
Hirayama, T., see Katsuki, M. (771) 31
Holash, J.A., see Martone, M.E. (771) 238
Hori, T., see Oka, T. (771) 278
Hosoi, M., see Oka, T. (771) 278
Huang, Y., Herman, M.M., Liu, J., Katsetos, C.D., Wills, M.R. and Savory, J.
Neurofibrillary lesions in experimental aluminum-induced encephalopathy and Alzheimer's disease share immunoreactivity for amyloid precursor protein, Aβ, α_1-antichymotrypsin and ubiquitin-protein conjugates (771) 213
Hunter, J.C., see Omana-Zapata, I. (771) 228

Ikemoto, K., Kitahama, K., Maeda, T., Tokunaga, Y., Valatx, J.-L., De Maeyer, E. and Seif, I.
Electron-microscopic study of MAOB-containing structures in the nucleus accumbens shell: using MAOA-deficient transgenic mice (771) 163
Ikemoto, K., Kitahama, K., Seif, I., Maeda, T., De Maeyer, E. and Valatx, J.-L.
Monoamine oxidase B (MAOB)-containing structures in MAOA-deficient transgenic mice (771) 121
Irwin, R.P., see Lin, S.-Z. (771) 184
Ishikawa, M., see Wu, Y.L. (771) 347

Jamali, A.K. and Tramu, G.
Daily cycle of *fos* expression within hypothalamic POMC neurons of the male rat (771) 45
Janigro, D., see Stanness, K.A. (771) 329

Kamakura, K., see Hirata, A. (771) 37
Kaneko, S., see Maeda, T. (771) 159
Kapoor, R. and Kapoor, V.
Distribution of D-amino acid oxidase (DAO) activity in the medulla and thoracic spinal cord of the rat: implications for a role for D-serine in autonomic function (771) 351
Kapoor, V., see Kapoor, R. (771) 351
Katsetos, C.D., see Huang, Y. (771) 213
Katsuki, M., Atsuta, Y. and Hirayama, T.
Reinnervation of denervated muscle by transplantation of fetal spinal cord to transected sciatic nerve in the rat (771) 31
Katz, J.L., see Fasciano, J. (771) 115
Khabbaz, M.A., see Omana-Zapata, I. (771) 228
Kitahama, K., see Ikemoto, K. (771) 121
Kitahama, K., see Ikemoto, K. (771) 163
Kiyatkin, E.A. and Rebec, G.V.
Iontophoresis of amphetamine in the neostriatum and nucleus accumbens of awake, unrestrained rats (771) 14
Koch, K.E., see Lin, S.-Z. (771) 184
Kouchiyama, H., see Maeda, T. (771) 159
Kubo, C., see Oka, T. (771) 278
Kume, T., see Maeda, T. (771) 159
Kuperman, D.I., Freyaldenhoven, T.E., Schmued, L.C. and Syed F. Ali,
Methamphetamine-induced hyperthermia in mice: examination of dopamine depletion and heat-shock protein induction (771) 221
Kwak, S., see Hirata, A. (771) 37

Lai, S.-M., see Lue, J.-H. (771) 167
Leonard, B.E., see Caldwell, M.A. (771) 305
Lin, S.-Z., Yan, G.-M., Koch, K.E., Paul, S.M. and Irwin, R.P.
Mastoparan-induced apoptosis of cultured cerebellar granule neurons is initiated by calcium release from intracellular stores (771) 184
Lipp, H.-P., see Wolfer, D.P. (771) 1
Liu, J., see Huang, Y. (771) 213
Lue, J.-H., Lai, S.-M., Wang, T.-J., Shieh, J.-Y. and Wen, C.-Y.
Synaptic relationships between corticocuneate terminals and glycine-immunoreactive neurons in the rat cuneate nucleus (771) 167

Macchi, G., Rossi, G., Abbamondi, A.L., Giaccone, G., Mancia, D., Tagliavini, F. and Bugiani, O.
Diffuse thalamic degeneration in fatal familial insomnia. A morphometric study (771) 154
Maeda, T., Cheng, N.-n., Kume, T., Kaneko, S., Kouchiyama, H., Akaike, A., Ueda, M., Satoh, M., Goshima, Y. and Misu, Y.
L-DOPA neurotoxicity is mediated by glutamate release in cultured rat striatal neurons (771) 159
Maeda, T., see Ikemoto, K. (771) 121
Maeda, T., see Ikemoto, K. (771) 163
Magliulo-Cepriano, L., see Flynn, K.M. (771) 142
Mancia, D., see Macchi, G. (771) 154
Mark, R.J., see Mattson, M.P. (771) 147
Martone, M.E., Holash, J.A., Bayardo, A., Pasquale, E.B. and Ellisman, M.H.
Immunolocalization of the receptor tyrosine kinase EphA4 in the adult rat central nervous system (771) 238
Mascagni, P., see Stanness, K.A. (771) 329
Mattson, M.P., Begley, J.G., Mark, R.J. and Furukawa, K.
Aβ25–35 induces rapid lysis of red blood cells: contrast with Aβ1–42 and examination of underlying mechanisms (771) 147
Miller, K.E., see Zhang, J. (771) 25
Mills, R.G., see Yuan, A. (771) 203
Misu, Y., see Maeda, T. (771) 159
Morgan, D.L., see Brockett, C. (771) 251
Müller, U., see Wolfer, D.P. (771) 1
Myers, T., see Stanness, K.A. (771) 329

Nagata, N., see Hirata, A. (771) 37
Nakamura, R., see Hirata, A. (771) 37
Nelson, J.A., see Stanness, K.A. (771) 329
Nishi, K.
Expression of c-Jun in dopaminergic neurons of the substantia nigra in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-treated mice (771) 133
Nishikawa, K.C., see Anderson, C.W. (771) 285

Oka, K., see Oka, T. (771) 278
Oka, T., Hori, T., Hosoi, M., Oka, K., Abe, M. and Kubo, C.
Biphasic modulation in the trigeminal nociceptive neuronal responses by the intracerebroventricular prostaglandin E_2 may be mediated through different EP receptors subtypes in rats (771) 278
Omana-Zapata, I., Khabbaz, M.A., Hunter, J.C. and Bley, K.R.
QX-314 inhibits ectopic nerve activity associated with neuropathic pain (771) 228

Pasquale, E.B., see Martone, M.E. (771) 238
Paul, S.M., see Lin, S.-Z. (771) 184
Pauly, J.R., see Gattu, M. (771) 104
Pauly, J.R., see Gattu, M. (771) 173
Pauly, J.R., see Gattu, M. (771) 89
Proske, U., see Brockett, C. (771) 251

Qian, S.-M. and Delaney, K.R.
Neuromodulation of activity-dependent synaptic enhancement at crayfish neuromuscular junction (771) 259

Rebec, G.V., see Kiyatkin, E.A. (771) 14
Reymann, J.-M., see Caldwell, M.A. (771) 305
Ricaurte, G.A., see Fasciano, J. (771) 115
Rossi, G., see Macchi, G. (771) 154

Satoh, M., see Maeda, T. (771) 159
Savory, J., see Huang, Y. (771) 213
Schardt, G., see Wirtshafter, D. (771) 271
Schmued, L.C., see Kuperman, D.I. (771) 221
Schreibman, M.P., see Flynn, K.M. (771) 142
Seif, I., see Ikemoto, K. (771) 121
Seif, I., see Ikemoto, K. (771) 163
Shieh, J.-Y., see Lue, J.-H. (771) 167
Stagliar, M., see Wolfer, D.P. (771) 1
Stanness, K.A., Westrum, L.E., Fornaciari, E., Mascagni, P., Nelson, J.A., Stenglein, S.G., Myers, T. and Janigro, D.
Morphological and functional characterization of an in vitro blood–brain barrier model (771) 329
Stenglein, S.G., see Stanness, K.A. (771) 329
Summers, J.B., see Gattu, M. (771) 89
Suszkiw, J.B., see Bourjeily, N. (771) 319
Syed F. Ali, see Kuperman, D.I. (771) 221

Tagliavini, F., see Macchi, G. (771) 154
Takeda, T., see Cheyne, D. (771) 196
Tanaka, M., see Wu, Y.L. (771) 347
Tanaka, T., see Wu, Y.L. (771) 347
Terry Jr., A.V., see Gattu, M. (771) 104
Tokunaga, Y., see Ikemoto, K. (771) 163
Tomita, M., see Wu, Y.L. (771) 347
Tramu, G., see Jamali, A.K. (771) 45

Ueda, M., see Maeda, T. (771) 159
Urbanawiz, S., see Gattu, M. (771) 173

Valatx, J.-L., see Ikemoto, K. (771) 121
Valatx, J.-L., see Ikemoto, K. (771) 163
Villavicencio, A.T., see Campbell, A. (771) 55

Wang, T.-J., see Lue, J.-H. (771) 167
Warren, N., see Brockett, C. (771) 251
Weinberg, H., see Cheyne, D. (771) 196
Wen, C.-Y., see Lue, J.-H. (771) 167
Westrum, L.E., see Stanness, K.A. (771) 329
Wills, M.R., see Huang, Y. (771) 213
Wirtshafter, D., Schardt, G. and Asin, K.E.
Compartmentally specific effects of quinpirole on the striatal Fos expression induced by stimulation of D_1-dopamine receptors in intact rats (771) 271
Wolfer, D.P., Müller, U., Stagliar, M. and Lipp, H.-P.
Assessing the effects of the 129/Sv genetic background on swimming navigation learning in transgenic mutants: a study using mice with a modified β-amyloid precursor protein gene (771) 1
Wu, Y.L., Tanaka, M., Yoshida, M., Yokoo, H., Tanaka, T., Tomita, M. and Ishikawa, M.
Effect of aging on psychological stress-induced increases in noradrenaline release in the rat anterior hypothalamus: an in vivo microdialysis study (771) 347

Yan, G.-M., see Lin, S.-Z. (771) 184
Yeghiayan, S.K., see Campbell, A. (771) 55
Yokoo, H., see Wu, Y.L. (771) 347
Yoshida, M., see Wu, Y.L. (771) 347
Yuan, A., Mills, R.G., Bamburg, J.R. and Bray, J.J.
Axonal transport and distribution of cyclophilin A in chicken neurones (771) 203
Yuan, J., see Fasciano, J. (771) 115

Zhang, J., Chandler, M.J., Miller, K.E. and Foreman, R.D.
Cardiopulmonary sympathetic afferent input does not require dorsal column pathways to excite C_1–C_3 spinal cells in rats (771) 25